*

I hereby certify that this correspondence is being deposited with the United States Postal Services on the date set forth below as First Class Mail in an envelope addressed to: Commissioner for Patents, Washington, D.C. 20231.

Date of Signature

and Deposit: (D 18 0)

Attorney of Record

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants:

Nabil G. Seidah, et al.

Serial No.:

09/830,837

Filed:

April 30, 2001

For:

MAMMALIAN SUBTILISIN/KEXIN ISOZYME SKI-

1: A PROPROTEIN CONVERTASE WITH A

UNIQUE CLEAVAGE SPECIFICITY

Group Art Unit:

--

Examiner:

--

Commissioner For Patents Washington, D.C. 20231

INFORMATION DISCLOSURE STATEMENT

Dear Sir:

Pursuant to 37 C.F.R. 1.98, enclosed herewith is a list of documents which the Applicants in the above-identified patent application wish to bring to the attention of the Examiner for consideration in connection with the examination on the merits of this patent application.

Other Documents

Abrami, L. et al. (1998). "The Pore-forming Toxin Poraerolysin Is Activated by Furin". The Journal of Biological Chemistry, 273:32656-32661.

Anderson, E.D. et al. (1993). "Inhibition of HIV-1 gp160-dependent Membrane Fusion by a Furin-directed α 1-Antitrypsin Variant". The Journal of Biological Chemistry, 268:24887-24891.

Basak, A. et al. (1995). "Application of the Multiple Antigenic Peptides (MAP) Strategy to the Production of Prohormone Convertases Antibodies: Synthesis, Characterization and use of 8-Branched Immunogenic Peptides". Journal of Peptide Science, 1:385-395.

Basak, A., et al. (1997). "Histidine-rich Human Salivary Peptides are Inhibitors of Proprotein Convertases Furin and PC7 but Act as Substrates for PC1". J. Peptide Res., 49:596-603.

Bellosta, S. et al. (1998). "Direct Vascular Effects of HMG-CoA Reductase Inhibitors". Atherosclerosis 137 Suppl. (1998): S101-S109.

Benjannet, S. et al. (1997). "\alpha1-Antitrypsin Portland Inhibits Processing of Precursors Mediated by Proprotein Convertases Primarily within the Constitutive Secretory Pathway". The Journal of Biological Chemistry, 272:26210-26218.

Benjannet, S. et al. (1998). "Residues Unique to the Pro-hormone Convertase PC2 Modulate its Autoactivation,

Binding to 7B2 and Enzymatic Activity". FEBS Letters, 428:37-42.

Boudrealt, A. et al. (1998). "Proprotein Convertase PC1/3-related Peptides are Potent Slow Tight-binding Inhibitors of Murine PC1/3 and Hfurin". The Journal of Biological Chemistry, Vol. 273, No. 47:31574-31580.

Brown, M.S. et al. (1997). "The SREBP Pathway: Regulation of Cholesterol Metabolism by Proteolysis of a Membrane-bound Transcription Factor". Cell, 89:331-340.

Brown, M.S. et al. (1999). "A Proteolytic Pathway that Controls the Cholesterol Content of Membranes, Cells, and Blood". Proc. Natl. Acad. Sci. USA 96:11041-11048.

Burbach, J.P.H. et al. (1986). "Isolation and Primary Structure of Novel Neurointermediate Pituitary Peptides

Derived from the C-terminal of the Rat Vasopressinneurophysin Precursor (Propressophysin)". Eur. J.

Biochem., 156:137-142.

Checlerc, F. (1995). "Short Review: Processing of the β -Amyloid Precursor Protein and its Regulation in Alzheimer's Disease". Journal of Neurochemistry, Vol. 65, No. 4:1431-1444.

Cheng, D. et al. (1999). "Secreted Site-1 Protease Cleaves Peptides Corresponding to Luminal Loop of Sterol

Regulatory Element-binding Proteins". The Journal of Biological Chemistry, 274:22805-22812.

Chiron, M.F. et al. (1994). "Cleavage of Pseudomonas Exotoxin and Diphtheria Toxin by a Furin-like Enzyme Prepared from Beef Liver". The Journal of Biological Chemistry, Vol. 269, No. 27:18167-18176.

Chrétien, M. et al. (1995). "Proprotein Convertases and the Pathophysiology of Human Diseases: Prospective Considerations". Proceedings of the Association of American Physicians, 107:47-66.

De Bie, I. et al. (1996). "The Isoforms of Proprotein Convertase PC5 are Sorted to Different Subcellular Compartments". Journal of Cell. Biology, 135:1261-1275.

Decroly, E. et al. (1997). "Comparative Functional Role of PC7 and Furin in the Processing of the HIV Envelope Glycoprotein gp160". FEBS Letters, 405:68-72.

Duncan, E.A. et al. (1997). "Cleavage Site for Sterol-regulated Protease Localized to a Leu-Ser-Bond in the Lumenal Loop of Sterol Regulatory Element-binding Protein-2". The Journal of Biological Chemistry, 272:12778-12785.

Edwards, J.B.D.M. et al. (1991).

"Oligodeoxyribonucleotide Ligation to Single-stranded

CDNAs: a New Tool for Cloning 5' ends of mRNAs and for

5127389_1.DOC

-4-

Constructing cDNA Libraries by *In Vitro* Amplification.

Nucleic Acid Research, 19:5227-5232.

Edwards, P.A. et al. (1999). "Sterols and Isoprenoids: Signaling Molecules Derived from the Cholesterol Biosynthetic Pathway". Annu. Rev. Biochem., 68:157-185.

Endres, M. et al. (1998). "Stroke Protection by 3-hydroxy-3-methylglutaryl (HMG)-CoA Reductase Inhibitors Mediated by Endothelial Nitric Oxide Synthase". Proc. Natl. Acad. Sci. USA 95:8880-8885.

Gallagher, T. et al. (1995). "The Prosegment-subtilisin BPN' Complex: Crystal Structure of a Specific "Foldase". Structure, 3:907-914.

Glasson, M.J. et al. (1998). "Development of Mini-gel Technology in Two-dimensional Electrophoresis for Mass-screening of Samples: Application to Tears".

Electrophoresis, 19:852-855.

Gram, H. et al. (1994). "A Novel Approach for High Level Production of a Recombinant Human Parathyroid Hormone Fragment in *Echerichia coli*". Bio/Technology, 12:1017-

Grus, F.H. et al. (1999). "Analysis of Tear Protein

Patterns by a Neural Network as a Diagnostical Tool for the

Detection of Dry Eyes". Electrophoresis 20:875-880.

5127389 1.DOC -5-

Guijarro, C. et al. (1998). "3-Hydroxy-3Methylglutaryl Coenzyme A Reductase and Isoprenylation
Inhibitors Induce Apoptosis of Vascular Smooth Muscle Cells
in Culture". Cir. Res., 83:490-500.

Gupta, S.K. et al. (1995). "A Potent Inhibitor or Endothelial Cell Proliferation is Generated by Proteolytic Cleavage of the Chemokine Platelet Factor 4". Proc. Natl. Acad. Sci. USA, 92:7799-7803.

Hallenberger, S. et al. (1992). "Inhibition of Furin-mediated Cleavage Activation of HIV-1 Glycoprotein gp160". Nature, 360:358-361.

Hallenberger, S. et al. (1997). "The Role of Eukaryotic Subtilisin-like Endoproteases for the Activation of Human Immunodeficiency Virus Glycoproteins in Natural Host Cells". Journal of Virology, 71:1036-1045.

Hooper, N.M. et al. (1997). "Membrane Protein Secretases". Biochem. J., 321:265-279.

Howland, D.S. et al. (1998). "Modulation of Secreted β -Amyloid Precursor Protein and Amyloid β -Peptide in Brain by Cholesterol". The Journal of Biological Chemistry, 273:16576-16582.

Hua, X. et al. (1993). "SREBP-2, a Second Basic-helix-loop-helix-leucine Zipper Protein that Stimulates

Transcription by Binding to a Sterol Regulatory Element".

Proc. Natl. Acad. Sci. USA, 90:11603-11607.

Hudson, P. et al. (1981). "Molecular Cloning and Characterization of cDNA Sequences Coding for Rat Relaxin". Nature, 291:127-131.

Inouye, M. (1991). "Intramolecular Chaperone: The Role of the Pro-Peptide in Protein Folding". Enzyme, 45:314-321.

Iskeleli, G. et al. (1999). "Comparison of Tear Lactate Dehydrogenase Activities of Different Types of Contact Lens Wearers and Normal Control Group". CLAO Journal, 25:101-104.

Jean, F. et al. (1995). "Fluorescent Peptidyl
Substrates as an Aid in Studying the Substrate Specificity
of Human Prohormone Convertase PC1 and Human Furin and
Designing a Potent Irreversible Inhibitor". The Journal of
Biological Chemistry, Vol. 270, No. 33:19225-19231.

Kendall, J.M. et al. (1994). "Changes in Free Calcium in the Endoplasmic Reticulum of Living Cells Detected Using Targeted Aequorin". Analytical Biochemistry, 221:173-181.

Khan, A.R. et al. (1998). "Molecular Mechanisms for the Conversion of Zymogens to Active Proteolytic Enzymes". Protein Science, 7:815-836.

Kim, J.B. et al. (1996). "ADD1/SREBP1 Promotes

Adipocyte Differentiation and Gene Expression Linked to

Fatty Acid Metabolism". Genes & Development, 10:1096-1107.

Kim, J.B. et al. (1998). ADD1/SREBP1 Activates PPARY through the Production of Endogenous Ligand". Proc. Natl. Acad. Sci. USA, 95:4333-4337.

Kim, J.B. et al. (1998). "Nutritional and Insulin Regulation of Fatty Acid Synthetase and Leptin Gene Expression through ADD1/SREBP1". J. Clin. Invest., 101:1-9.

Kim, J.H. et al. (1998). "Noninvasive Measurement of the pH of the Endoplasmic Reticulum at Rest and During Calcium Release". Proc. Natl. Acad. Sci. USA, 95:2997-3002.

Laufs, U. et al. (1997). "Inhibition of 3-Hydroxy-3-methylglutaryl (HMG)-CoA Reductase Blocks Hypoxia-mediated Down-regulation of Endothelial Nitric Oxide Synthase". The Journal of Biological Chemistry, 272:31725-31729.

Laufs, U. et al. (1998). "Upregulation of Endothelial Nitric Oxide Synthase by HMG CoA Reductase Inhibitors". Circulation, 97:1129-1135.

Laufs, U. and Liao, J.K. (1998). "Post-transcriptional Regulation of Endothelial Nitric Oxide

Synthase mRNA Stability by Rho GTPase". The Journal of Biological Chemistry, 273:24266-24271.

Lei, Y. et al. (1999). "Identification of Mouse CPX-1, a Novel Member of the Metallocarboxypeptidase Gene Family with Highest Similarity to CPX-2". DNA and Cell Biology, 18:175-185.

Ling, N. et al. (1976). "Isolation, Primary Structure, and Synthesis of α -endorphin and γ -endorphin, Two Peptides of Hypothalamic-hypophysial Origin with Morphinomemetic Activity". Proc. Natl. Acad. Sci. USA, 73:3942-3946.

Lippincott-Schwartz, J. et al. (1989). "Rapid Redistribution of Golgi Proteins into the ER in Cells Terated with Brefeldin A: Evidence for Membrane Cycling from Golgi to ER". Cell, 56:801-813.

Lippincott-Schwartz, J. et al. (1991). "Brefeldin A's Effects on Endosomes, Lysosomes, and the TGN Suggest a General Mechanism for Regulating Organelle Structure and Membrane Traffic". Cell, 67:601-616.

Llopis, J. et al. (1998). "Measurement of Cytosolic, Metochondrial, and Golgi pH in Single Living Cells with Green Fluorescent Proteins". Proc. Natl. Acad. Sci. USA, 95:6803-6808.

Lusson, J. et al. (1993). "cDNA Structure of the Mouse and Rat Subtilisin/Kexin-like PC5: A Candidate Proprotein Convertase Expressed in Endocrine and Nonendocrine Cells". Proc. Natl. Acad. Sci. USA, 90:6691-6695.

Maisonpierre, P.C. et al. (1991). "Human and Rat Brain-Derived Neurotrophic Factor and Neurotrophin-3: Gene Structures, Distributions, and Chromosomal Localizations". Genomics, 10:558-568.

Malide, D. et al. (1995). "Electron Microscopic Immunocytochemical Evidence for the Involvement of the Convertases PC1 and PC2 in the Processing of Proinsulin in Pancreatic β -Cells". The Journal of Histochemistry and Cytochemistry, 43:11-19.

Marcinkiewicz, J. et al. (1998). "The Pro-protein Convertase PC1 is Induced in the Transected Sciatic Nerve and is Present in Cultured Schwann Cells: Comparison with PC5, Furin and PC7, Implication in Pro-BDNF Processing".

Molecular Brain Research, 59:229-246.

McNamara, M.J. et al. (1998). "Immunohistochemical and In Situ Analysis of Amyloid Percursor-like Protein-1 and Amyloid Precursor-like Protein-2 Expression in Alzheimer Disease and Aged Control Brains". Brain Research, 804:45-51.

Mizuno, K. et al. (1989). "Characterization of Kex2-encoded Endopeptidase from Yeast Saccharomyces cerevisiae". Biochemical and Biophysical Research Communications, 159:305-311.

Molloy, M.P. et al. (1997). "Establishment of the Human Reflex Tear Two-dimensional Polyacrylamide Gel Electrophoresis Reference Map: New Proteins of Potential Diagnostic Value". Electrophoresis, 18:2811-2815.

Muller, L. et al. (1997). "Mechanism of the Facilitation of PC2 Maturation by 7B2: Involvement in ProPC2 Transport and Activation but No Folding". The Journal of Cell Biology, 13:625-638.

Munzer, J.S. et al. (1997). "In Vitro

Characterization of the Novel Proprotein Convertase PC7".

The Journal of Biological Chemistry, 272:19672-19681.

Mutoh, T. et al. (1999). "Involvement of Tyrosine Phosphorylation in HMG-CoA Reductase Inhibitor-induced Cell Death in L6 Myoblasts". FEBS Letters, 444:85-89.

Mutoh, T. et al. (1999). "Role of Tyrosine

Phosphorylation of Phospholipase C γl in the Signaling

Pathway of HMG-CoA Reductase Inhibitor-induced Cell Death

of L6 Myoblasts". FEBS Letters, 446:91-94.

Northurfft, A. et al. (1998). "Sterols Regulate Processing of Carbohydrate Chains of Wild-type SREBP -11-

Cleavage-activating Protein (SCAP), but not Sterol-resistant Mutants Y298C or D443N". Proc. Natl. Acad. Sci. USA 95:12848-12853.

Northurfft, A. et al. (1999). "Sterols Regulate Cycling of SREBP Cleavage-activating Protein (SCAP) Between Endoplasmic Reticulum and Golgi". Proc. Natl. Acad. Sci. USA, 96:11235-11240.

O'Reilly, M.S. et al. (1994). "Angiostatin: A Novel Angiogenesis Inhibitor that Mediates the Suppression of Metastases by a Lewis Lung Carcinoma". Cell, 79:315-328.

Paquet, L. et al. (1994). "The Neuroendocrine Precursor 7B2 is a Sulfated Protein Proteolytically Processed by a Ubiquitous Furin-like Convertase". The Journal of Biological Chemistry, 269:19279-19285.

Power, S.D. et al. (1986). "Secretion and Autoproteolytic Maturation of Subtilisin". Proc. Natl. Acad. Sci. USA, 83:3096-3100.

Raiteri, M. et al. (1997). "Pharmacological Control of the Mevalonate Pathway: Effect on Arterial Smooth Muscle Cell Proliferation". The Journal of Pharmacology and Experimental Therapeutics, 281:1144-1153.

Rassoulzadegan, M. et al. (1998). "APLP2, a Member of the Alzheimer Precursor Protein Family, is Required for

Correct Genomic Segregation in Dividing Mouse Cells". The EMBO Journal, 17:4647-4656.

Rawson, R.B. et al. (1997). "Complementation Cloning of S2P, a Gene Encoding a Putative Metalloprotease Required for Intramembrane Cleavage of SREBPs". Molecular Cell, 1:47-57.

Reeves, J.P. et al. (1981). "Intracellular Disruption of Rat Heart Lysosomes by Lucine Methyl Ester: Effects on Protein Degradation". Proc. Natl. Acad. Sci. USA, 78:4426-4429.

Rittenhouse, J. and Marcus, F. (1984). "Peptide

Mapping by Polyacrylamide Gel Electrophoresis after

Cleavage at Aspartyl-prolyl peptide Bonds in Sodium Dodecyl

Sulfate-containing Buffers". Analytical Biochemistry,

138:442-448.

Rosendahl, M.S. et al. (1997). "Identification and Characterization of a Pro-tumor Necrosis Factor- α -processing Enzyme from the ADAM Family of Zinc Metalloprotease". The Journal of Biological Chemistry, Vol. 272, No. 39:24588-24593.

Rovère, C. et al. (1999). "The RGD Motif and the C-terminal Segment of Proprotein Convertase 1 are Critical for its Cellular Trafficking but not for its Intracellular

Binding to Integrin $\alpha 5\beta 1$ ". The Journal of Biological Chemistry, 274:12461-12467.

Sakai, J. et al. (1996). "Sterol-regulated Release of SREBP-2 from Cell Membranes Requires Two Sequential Cleavages, One Within a Transmembrane Segment". Cell, 85:1037-1046.

Sambrook, J.F. (1990). "The Involvement of Calcium in Transport in Secretory Proteins from the Endoplasmic Reticulum". Cell, 61:197-199.

Scheek, S. et al. (1997). "Sphingomyelin Depletion in Cultured Cells Blocks Proteolysis of Sterol Regulatory

Element Binding Proteins at Site 1". Proc. Natl. Acad.

Sci. USA, 94:11179-11183.

Seidah, N.G. et al. (1994). "The Family of Subtilisin/Kexin Like Pro-protein and pro-hormone Convertases: Divergent or Shared Functions". Biochimi, 76:197-209.

Seidah, N.G. (1995). "Molecular Strategies for Identifying Processing Enzymes". Methods in Neurosciences, 23:3-15.

Seidah, N.G. et al. (1996). "cDNA Structure, Tissue Distribution, and Chromosomal Localization of Rat PC7, a Novel Mammalian Proprotein Convertase Closest to Yeast

Kexin-like Proteinases". Proc. Natl. Acad. Sci. USA,
93:3388-3393.

Seidah, N.G. et al. (1996). "Cellular Processing of the Neurotrophin Precursors of NT3 and BDNF by the Mammalian Proprotein Convertases". FEBS Letters 379:247-250.

Seidah, N.G. et al. (1998). "Precursor Convertases:
An Evolutionary Ancient, Cell-specific, Combinatorial
Mechanism Yielding Diverse Bioactive Peptides and
Proteins". Ann. NY Acad. Sci., 839:9-24.

Seidah, N.G. et al. (1998). "The Mammalian Precursor Convertases: Paralogs of the Subtilisin/Kexin Family of Calcium-dependent Serine Proteinases", In: Hook, V.Y.H. (Ed.), Proteolytic and Cellular mechanisms in Prohormone and Proprotein Processing, R.G. Landes Company, Georgetown, TX, USA, chapter 3:49-76.

Shimomura, I. et al. (1998). "Insulin Resistance and Diabetes Mellitus in Transgenic Mice Expressing Nuclear SREBP-1c in Adipose Tissue: Model for Congenital Generalized Lipodystrophy". Genes & Development, 12:3182-3194.

Shimomura, I. et al. (1999). "Leptin Reverses Insulin Resistance and Diabetes Mellitus in Mice with Congenital Lipodystrophy". Nature, 401:73-76.

Shimomura, I. et al. (1999). "Increased Levels of Nuclear SREBP-1c Associated with Fatty Livers in Two Mouse Models of Diabetes Mellitus". The Journal of Biological Chemistry, 274:30028-30032.

Soma, M.R. et al. (1992). "Cholesterol and Mevalonic Acid Modulation in Cell Metabolism and Multiplication".

Toxicology Letters, 64/65:1-15.

Spence, M.W. and Callahan, J.W. (1989).

"Sphyngomyelin-Cholesterol Lipidoses" The Niemann-Pick

Group of Diseases". In The Metabolic Basis of Inherited

Disease (Scriver, C.R. et al., editors), McGraw-Hill Publ.

Co., 6th Edition, chapter 66:1655-1676.

Steiner, D.F. (1998). "The Proprotein Convertases". Curr. Opin. Chem. Biol., 2:31-39.

Sviridov, D. (1999). "Intracellular Cholesterol Trafficking". Histology & Histopathology, 14:2305-319.

Volchkov, V.E. et al. (1998). "Processing of the Ebola Virus Glycoprotein by the Proprotein Convertase Furin". Proc. Natl. Acad. Sci. USA, 95:5762-5767.

Wang, X. et al. (1994). "SREBP-1, a Membrane-Bound Transcription Factor Released by Sterol-regulated Proeolysis". Cell, 77:53-62.

Wang, X. et al. (1994). "SREBP-1, a Membrane-Bound Transcription Factor Released by Sterol-regulated Proeolysis". Cell, 77:53-62.

Yan, Q. et al. (1997). "Expression of Brain-derived Neurotrophic Factor Protein in the Adult Rat Central Nervous System". Neuroscience, 78:431-448.

Zhong, M. et al. (1999). "The Prosegments of Furin and PC7 as Potent Inhibitors of Proprotein Convertases". The Journal of Biological Chemistry, Vol. 274, No. 48:33913-33920.

No fees are believed necessary to enter this Statement. However, if any fees are necessary please charge Deposit Account 17-0055.

Respectfully submitted, Nabil G. Seidah, et al.

October 18, 2001

Reg No. 35,433

Jeah C. Baker

Quarles & Brady LLP

411 East Wisconsin Avenue

Milwaukee, WI 53202-4497

(414) 277-5709

(Use several sheets if necessary)

Docket Number (Optional) 480848.900	Application Number 09/830837		
Applicant(s) SEIDAH, Nabil G. et al.			
Filing Date	Group Art Unit		

						April 30, 20	001	Una	ssigned	
					U.S. PATI	ENT DOCUMENTS				
*EXAMINER INITIAL	REF		DOCUMENT NUMBER	DATE		NAME	CLASS	SUBCLASS	FILING IF APPRO	
					-					
		_								
	<u>. </u>			<u> </u>	FOREIGN	PATENT DOCUMENT	s			
	REF		DOCUMENT NUMBER	DATE	,	COUNTRY	CLASS	SUBCLASS	Trans YES	slation NO
		-								
					<u> </u>					
		T								
-	L	1			OTHER D	OCUMENTS (Includia	ng Author, Title, D	ate, Pertinent Pa	ges, Etc.)	
		o	Abrami, L. et al. (1998). 273: 32656-32661.	"The Pore-form	ning Toxin	Proaerolysin Is Activat	ed by Furin". Th	e Journal of B	iological C	Chemistry,
		ø	Anderson, E.D. et al. (19 Variant". The Journal o	93). "Inhibition f Biological Che	of HIV-1 g mistry, 268	p160-dependent Memb : 24887-24891.	orane Fusion by a	Furin-directe	d a1-Antit	rypsin
EXAMINE	R					DATE CONSIDERED				
			itation considered, whether o			e with MPEP Section 609	; Draw line throu	gh citation if not	in conform	ance and

Form PTO-A820 (also form PTO-1449)

(Use several sheets if necessary)

not considered. Include copy of this form with next communication to applicant.

Docket Number (Optional) 480848.900	Application Number 09/830837		
Applicant(s) SEIDAH, Nabil G. et al.			
Filing Date	Group Art Unit		
April 20, 2001	Unaccianad		

*EXAMINER	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)					
INITIAL	,	Basak, A. et al. (1995). "Application of the Multiple Antigenic Peptides (MAP) Strategy to the Production of Prohormone Convertases Antibodies: Synthesis, Characterization and use of 8-Branched Immunogenic Peptides". Journal of Peptide Science, 1: 385-395.				
	9	Basak, A. et al. (1997). "Histidine-rich human salivary peptides are inhibitors of proprotein convertases furin and PC7 but act as substrates for PC1". J. Peptide Res., 49: 596-603.				
		Bellosta, S. et al. (1998). "Direct vascular effects of HMG-CoA reductase inhibitors". Atherosclerosis 137 Suppl. (1998): S101-S109.				
	J	Benjannet, S. et al. (1997). "al-Antitrypsin Portland Inhibits Processing of Precursors Mediated by proprotein Convertases Primarily within the Constitutive Secretory Pathway". The Journal of Biological Chemistry, 272: 26210-26218.				
		Benjannet, S. et al. (1998). "Residues unique to the pro-hormone convertase PC2 modulate its autoactivation, binding to 7B2 and enzymatic activity". FEBS Letters, 428: 37-42.				
	v	Boudreault, A. et al. (1998). "Proprotein Convertase PC1/3-related Peptides Are Potent Slow Tight-binding Inhibitors of Murine PC1/3 and Hfurin". The Journal of Biological Chemistry, Vol. 273, No. 47: 31574-31580.				
	,	Brown, M.S. et al. (1997). "The SREBP Pathway: Regulation of Cholesterol Metabolism by Proteolysis of a Membrane-Bound Transcription Factor". Cell, 89: 331-340.				
	0	Brown, M.S. et al. (1999). "A proteolytic pathway that controls the cholesterol content of membranes, cells, and blood". Proc. Natl. Acad. Sci. USA, 96: 11041-11048.				
		Burbach, J.P.H. et al. (1986). "Isolation and primary structure of novel neurointermediate pituitary peptides derived from the C-terminal of the rat vasopressin-neurophysin precursor (propressophysin)". Eur. J. Biochem, 156: 137-142.				
•	0	Checlerc, Frédéric (1995). "Short Review: Processing of the B-Amyloid Precursor Protein and Its Regulation in Alzheimer's Disease". Journal of Neurochemistry, Vol. 65, No. 4: 1431-1444.				
	g	Cheng, D. et al. (1999). "Secreted Site-1 Protease Cleaves Peptides Corresponding to Luminal Loop of Sterol Regulatory Element-binding Proteins". The Journal of Biological Chemistry, 274: 22805-22812.				
	•	Chiron, M.F. et al. (1994). "Cleavage of Pseudomonas Exotoxin and Diphtheria Toxin by a Furin-like Enzyme Prepared from Beef Liver". The Journal of Biological Chemistry, Vol. 269, No. 27: 18167-18176.				
EXAMINER	<u></u>	DATE CONSIDERED				
*EXAMINER: I	nitial if	citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and				

P09B/REV04

(Use several sheets if necessary)

Docket Number (Optional) 480848.900	Application Number 09/830837		
Applicant(s) SEIDAH, Nabil G. et al.	. 63 82.55		
Filing Date	Group Art Unit		
April 30, 2001	Unassigned		

*EXAMINER		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
INITIAL	y	Chrétien, M. et al. (1995). "Proprotein Convertases and the Pathophysiology of Human Diseases: Prospective Considerations". Proceedings of the Association of American Physicians, 107: 47-66.
	0	De Bie, I. et al. (1996). "The Isoforms of Proprotein Convertase PC5 Are Sorted to Different Subcellular Compartments". Journal of Cell. Biology, 135: 1261-1275.
	,	Decroly, E. et al. (1997). "Comparative functional role of PC7 and furin in the processing of the HIV envelope glycoprotein gp160". FEBS Letters, 405: 68-72.
	ء س	Duncan, E.A. et al. (1997). "Cleavage Site for Sterol-regulated Protease Localized to a Leu-Ser Bond in the Lumenal Loop of Sterol Regulatory Element-binding Protein-2". The Journal of Biological Chemistry, 272: 12778-12785.
	1	Edwards, J.B.D.M. et al. (1991). "Oligodeoxyribonucleotide ligation to single-stranded cDNAs: a new tool for cloning 5' ends of mRNAs and for constructing cDNA libraries by <i>in vitro</i> amplification. Nucleic Acid Research, 19: 5227-5232.
	J	Edwards, P.A. et al. (1999). "Sterols and Isoprenoids: Signaling Molecules Derived from the Cholesterol Biosynthetic Pathway". Annu. Rev. Biochem., 68: 157-185.
		Endres, M. et al. (1998). "Stroke protection by 3-hydroxy-3-methylglutaryl (HMG)-CoA reductase inhibitors mediated by endothelial nitric oxide synthase". Proc. Natl. Acad. Sci. USA, 95: 8880-8885.
	b	Gallagher, T. et al. (1995). "The prosegment-subtilisin BPN' complex: crystal structure of a specific 'foldase'". Structure, 3: 907-914.
		Glasson, M.J. et al. (1998). "Development of mini-gel technology in two-dimensional electrophoresis for mass-screeening of samples: Application to tears". Electrophoresis, , 19: 852-855.
	T G	Gram, Hermann et al. (1994). "A novel Approach for High Level Production of a Recombinant Human Parathyroid Hormone Fragment in Escherichia coli". Bio/Technology, 12: 1017-1023.
		Grus, F.H. et al. (1999). "Analysis of tear protein patterns by a neural network as a diagnostical tool for the detection of dry eyes". Electrophoresis, 20: 875-880.
	,	Guijarro, C. et al. (1998). "3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase and Isoprenylation Inhibitors Induce Apoptosis of Vascular Smooth Muscle Cells in Culture". Circ Res., 83: 490-500.
EXAMINER		DATE CONSIDERED
*EXAMINER: I	nitial if	citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and

(Use several sheets if necessary)

Docket Number (Optional)	Application Number		
480848.900	09/830837		
Applicant(s) SEIDAH, Nabil G. et al.			
Filing Date	Group Art Unit		
April 30, 2001	Unassigned		

		April 30, 2001 Unassigned
*EXAMINER INITIAL		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
INITIAL	,	Gupta, S.K. et al. (1995). "A potent inhibitor or endothelial cell proliferation is generated by proteolytic cleavage of the chemokine platelet factor 4". Proc. Natl. Acad. Sci. USA, 92: 7799-7803.
	<i>(</i> 4	Hallenberger, S. et al. (1992). "Inhibition of furin-mediated cleavage activation of HIV-1 glycoprotein gp160". Nature, 360: 358-361.
		Hallenberger, S. et al. (1997). "The Role of Eukaryotic Subtilisin-Like Endoproteases for the Activation of Human Immunodeficiency Virus Glycoproteins in Natural Host Cells". Journal of Virology, 71: 1036-1045.
	0	Hooper, N.M. et al. (1997). "Membrane protein secretases". Biochem J., 321: 265-279.
		Howland, D.S. et al. (1998). "Modulation of Secreted <i>B</i> -Amyloid Precursor Protein and Amyloid <i>B</i> -Peptide in Brain by Cholesterol". The Journal of Biological Chemistry, 273: 16576-16582.
	+	Hua, X. et al. (1993). "SREBP-2, a second basic-helix-loop-helix-leucine zipper protein that stimulates transcription by binding to a sterol regulatory element". Proc. Natl. Acad. Sci. USA, 90: 11603-11607.
	9	Hudson, P. et al. (1981). "Molecular cloning and characterization of cDNA sequences coding for rat relaxin". Nature, 291: 127-131.
	÷	Inouye, Masayori (1991). "Intramolecular Chaperone: The Role of the Pro-Peptide in Protein Folding". Enzyme, 45: 314-321.
	•	Iskeleli, G. et al. (1999). "Comparison of Tear Lactate Dehydrognenase Activities of Different Types of Contact Lens Wearers and Normal Control Group". CLAO Journal, 25: 101-104.
	J	Jean, F. et al. (1995). "Fluorescent Peptidyl Substrates as an Aid in Studying the Substrate Specificity of Human Prohormone Convertase PC1 and Human Furin and Designing a Potent Irreversible Inhibitor". The Journal of Biological Chemistry, Vol. 270, No. 33: 19225-19231.
	,	Kendall, J.M. et al. (1994). "Changes in Free Calcium in the Endoplasmic Reticulum of Living Cells Detected Using Targeted Aequorin". Analytical Biochemistry, 221: 173-181.
	,	Khan, A.R. et al. (1998). "Molecular mechanisms for the conversion of zymogens to active proteolytic enzymes". Protein Science, 7: 815-836.
EXAMINER		DATE CONSIDERED
*EXAMINER: I	nitial if	citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and

(Use several sheets if necessary)

Docket Number (Optional)	Application Number
480848.900	09/830837
Applicant(s) SEIDAH, Nabil G. et al.	
Filing Date	Group Art Unit
A	Unassigned

		April 30, 2001 Chaosigned
*EXAMINER INITIAL		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
EVITIAL	્છ	Kim, J.B. et al. (1996). "ADD1/SREBP1 promotes adipocyte differentiation and gene expression linked to fatty acid metabolism". Genes & Development, 10: 1096-1107.
	.,	Kim, J.B. et al. (1998). "ADD1/SREBP1 activates PPARy through the production of endogenous ligand". Proc. Natl. Acad. Sci. USA, 95: 4333-4337.
	ø	Kim, J.B. et al. (1998). "Nutritional and Insulin Regulation of Fatty Acid Synthetase and Leptin Gene Expression through ADD1/SREBP1". J. Clin. Invest., 101: 1-9.
	0	Kim, J.H. et al. (1998). "Noninvasive measurement of the pH of the endoplasmic reticulum at rest and during calcium release". Proc. Natl. Acad. Sci. USA, 95: 2997-3002.
	a	Laufs, U. et al. (1998). "Upregulation of Endothelial Nitric Oxide Synthase by HMG CoA Reductase Inhibitors". Circulation, 97: 1129-1135.
	y	Laufs, U. et al. (1997). "Inhibittion of 3-Hydroxy-3-methylglutaryl (HMG)-CoA Reductase Blocks Hypoxia-mediated Down-regulation of Endothelial Nitric Oxide Synthase". The Journal of Biological Chemistry, 272: 31725-31729.
	6	Laufs, U. and Liao, J.K. (1998). "Post-transcriptional Regulation of Endothelial Nitric Oxide Synthase mRNA Stability by Rho GTPase". The Journal of Biological Chemistry, 273: 24266-24271.
	āp	Lei, Y. et al. (1999). "Identification of Mouse CPX-1, a Novel Member of the Metallocarboxypeptidase Gene Family with Highest Similarity to CPX-2". DNA and Cell Biology, 18: 175185.
	ø	Ling, N. et al. (1976). "Isolation, primary structure, and synthesis of a-endorphin and y-endorphin, two peptides of hypothalamic-hypophysial origin with morphinomimetic activity". Proc. Natl. Acad. Sci. USA, 73: 3942-3946.
	B	Lippincott-Schwartz, J. et al. (1989). "Rapid Redisribution of Golgi Proteins into the ER in Cells Treated with Brefeldin A: Evidence for Membrane Cycling from Golgi to ER". Cell, 56: 801-813.
	ŧ	Lippincott-Schwartz, J. et al. (1991). "Brefeldin A's Effects on Endosomes, Lysosomes, and the TGN Suggest a General Mechanism for Regulating Organelle Structure and Membrane Traffic". Cell, 67: 601-616.
	0	Llopis, Juan et al. (1998). "Measurement of cytosolic, mitochondrial, and Golgi pH in single living cells with green fluorescent proteins". Proc. Natal. Acad. Sci. USA, 95: 6803-6808.
EXAMINER		DATE CONSIDERED
*EXAMINER: I	nitial if	citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and

INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)

Docket Number (Optional)	Application Number		
480848.900	09/830837		
Applicant(s) SEIDAH, Nabil G. et al.	Ar a di di di		
Filing Date	Group Art Unit		
A mail 20, 2001	Unaccianad		

		April 50, 2001 Chassigned
*EXAMINER INITIAL		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
BULLION	p	Lusson, J. et al. (1993). "cDNA structure of the mouse and rat subtilisin/kexin-like PC5: A candidate proprotein convertase expressed in endocrine and nonendocrine cells". Proc. Natl. Acad. Sci. USA, 90: 6691-6695.
	γ'	Maisonpierre, P.C. et al. (1991). "Human and Rat Brain-Derived Neurotrophic Factor and Neurotrophin-3: Gene Structures, Distributions, and Chromosomal Localizations". Genomics, 10: 558-568.
	·	Malide, D. et al. (1995). "Electron Microscopic Immunocytochemical Evidence for the Involvement of the Convertases PC1 and PC2 in the Processing of Proinsulin in Pancreatic B-Cells". The Journal of Histochemistry and Cytochemistry, 43: 11-19.
		Marcinkiewicz, M. et al. (1998). "The pro-protein convertase PC1 is induced in the transected sciatic nerve and is present in cultured Schwann cells: comparison with PC5, furin and PC7, implication in pro-BDNF processing". Molecular Brain Research, 59: 229-246.
	9	McNamara, M.J. et al. (1998). "Immunohistochemical and in situ analysis of amyloid precursor-like protein-1 and amyloid precursor-like protein-2 expression in Alzheimer disease and aged control brains". Brain Research, 804: 45-51.
	Э	Mizuno, K. et al. (1989). "CHARACTERIZATION OF KEX2-ENCODED ENDOPEPTIDASE FROM YEAST SACCHAROMYCES CEREVISIAE". Biochemical and Biophysical Research Communications, 159: 305-311.
	J .	Molloy, M.P. et al. (1997). "Establishment of the human reflex tear two-dimensional polyacrylamide gel electrophoresis reference map: New proteins of potential diagnostic value". Electrophoresis, 18: 2811-2815.
	o	Muller, L. et al. (1997). "Mechanism of the Facilitation of PC2 Maturation by 7B2: Involvement in ProPC2 Transport and Activation but Not Folding". The Journal of Cell Biology, 139: 625-638.
	٠	Munzer, J.S. et al. (1997). "In Vitro Characterization of the Novel Proprotein Convertase PC7". The Journal of Biological Chemistry, 272: 19672-19681.
	J	Mutoh, T. et al. (1999). "Involvement of tyrosine phosphorylation in HMG-CoA reductase inhibitor-induced cell death in L6 myoblasts". FEBS Letters, 444: 85-89.
	,u	Mutoh, T. et al. (1999). "Role of tyrosine phosphorylation of phospholipase C yl in the signaling pathway of HMG-CoA reductase inhibitor-induced cell death of L6 myoblasts". FEBS Letters, 446: 91-94.
	į.	Nohturfft, Axel et al. (1998). "Sterols regulate processing of carbohydrate chains of wild-type SREBP cleavage-activating protein (SCAP), but not sterol-resistant mutants Y298C or D443N". Proc. Natl. Acad. Sci. USA, 95: 12848-12853.
EXAMINER		DATE CONSIDERED
		citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and copy of this form with next communication to applicant.

(Use several sheets if necessary)

not considered. Include copy of this form with next communication to applicant.

Docket Number (Optional)	Application Number	
480848.900	09/830837	
Applicant(s) SEIDAH, Nabil G. et al.		
Filing Date	Group Art Unit	
April 20, 2001	Unaccianed	

		April 50, 2001 Chassigne	,u
*EXAMINER INITIAL		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)	
INTIPLE	b	Nohturfft, Axel et al. (1999). "Sterols regulate cyclng of SREBP cleavage-activating protein (SCAP) between encreticulum and Golgi". Proc. Natl. Acad. Sci. USA, 96: 11235-11240.	loplasmic
	<i>(</i> <	O'Reilly, M.S. et al. (1994). "Angiostatin: A Novel Angiogenesis Inhibitor That Mediates the Suppression of Med Lewis Lung Carcinoma". Cell, 79: 315-328.	tastases by a
	3.	Paquet, L. et al. (1994). "The Neuroendocrine Precursor 7B2 Is a Sulfated Protein Proteolytically Processed by a Furin-like Convertase". The Journal of Biological Chemistry, 269: 19279-19285.	a Ubiquitous
	J.	Power, S.D. et al. (1986). "Secretion and autoproteolytic maturation of subtilisin". Proc. Natl. Acad. Sci. USA, 8	3: 3096-3100.
		Raiteri, M. et al. (1997). "Pharmacological Control of the Mevalonate Pathway: Effect on Arterial Smooth Musc Proliferation". The Journal of Pharmacology and Experimental Therapeutics, 281: 1144-1153.	ele Cell
	د.		
	,9	Rassoulzadegan, M. et al. (1998). "APLP2, a member of the Alzheimer precursor protein family, is required for genomic segregation in dividing mouse cells". The EMBO Journal, 17: 4647-4656.	
	.,	Rawson, R.B. et al. (1997). "Complementation Cloning of S2P, a Gene Encoding a Putative Metalloprotease Req Intramembrane Cleavage of SREBPs". Molecular Cell, 1: 47-57.	uired for
	ر	Reeves, J.P. et al. (1981). "Intracellular disruption of rat heart lysosomes by leucine methyl ester: Effects on prodegradation". Proc. Natl. Acad. Sci. USA, 78: 4426-4429.	tein
	o	Rittenhouse, J. and Marcus, F. (1984). "Peptide Mapping by Polyacrylamide Gel Electrophoresis after Cleavage Aspartyl-Prolyl Peptide Bonds in Sodium Dodecyl Sulfate-Containing Buffers". Analytical Biochemistry, 138: 4	: at 42-448.
	J	Rosendahl, M.S. et al. (1997). "Identification and Characterizaton of a Pro-tumor Necrosis Factor-a-processing the ADAM Family of Zinc Metalloproteases". The Journal of Biological Chemistry, Vol. 272, No. 39: 24588-245	Enzyme from 93.
	į	Rovère, C. et al. (1999). "The RGD Motif and the C-terminal Segment of Proprotein Convertase 1 Are Critical f Trafficking but Not for Its Intracellular Binding to Integrin a5B1". The Journal of Biological Chemistry, 274: 1	or Its Cellular 2461-12467.
	•	Sakai, J. et al. (1996). "Sterol-Regulated Release of SREBP-2 from Cell Membranes Requires Two Sequential C Within a Transmembrane Segment". Cell, 85: 1037-1046.	leavages, One
EXAMINER		DATE CONSIDERED	
*EXAMINER: I	nitial if	if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in co	nformance and

P09B/REV04

(Use several sheets if necessary)

Docket Number (Optional)	Application Number
480848.900	(09/830837
Applicant(s) SEIDAH, Nabil G. et al.	
Filing Date Group Art Unit	
April 30, 2001 Unassigned	

		April 30, 2001 Unassigned	
*EXAMINER INITIAL		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)	
INITIAL	2	Sambrook, J.F. (1990). "The Involvement of Calcium in Transport of Secretory Proteins from the Endoplasmic Retic Cell, 61: 197-199.	culum".
	J	Scheek, S. et al. (1997). "Sphingomyelin depletion in cultured cells blocks proteolysis of sterol regulatory element bin proteins at site 1". Proc. Natl. Acad. Sci. USA, 94: 11179-11183.	ıding
	1	Seidah, N.G. et al. (1994). "The family of subtilisin/kexin like pro-protein and pro-hormone convertases: Divergent of functions". Biochimie, 76: 197-209.	r shared
		Seidah, Nabil G. (1995). "Molecular Strategies for Identifying Processing Enzymes". Methods in Neurosciences, 23:	3-15.
		Seidah, N.G. et al. (1996). "cDNA sructure, tissue distribution, and chromosomal localization of rat PC7, a novel man proprotein convertase closest to yeast kexin-like proteinases". Proc. Natl. Acad. Sci. USA, 93: 3388-3393.	mmalian
	÷	Seidah, N.G. et al. (1996). "Cellular processing of the neurotrophin precursors of NT3 and BDNF by the mammalian proprotein convertases". FEBS Letters 379: 247-250.	1
	6	Seidah, N.G. et al. (1998). "Precursor Convertases: An Evolutionary Ancient, Cell-Specific, Combinatorial Mechanis Yielding Diverse Bioactive Peptides and Proteins". Ann. NY Acad. Sci., 839: 9-24.	sm
	Q	Seidah, N.G. et al. (1998) "The Mammalian Precursor Convertases: Paralogs of the Subtilisin/Kexin Family of Calcium-Dependent Serine Proteinases", In: Hook, V.Y.H. (Ed.), Proteolytic and Cellular Mechanisms in Prohormon Proprotein Processing, R.G. Landes Company, Georgetown, TX, USA, chapter 3: 49-76.	ne and
	0	Shimomura, I. et al. (1998). "Insulin resistance and diabetes mellitus in transgenic mice expressing nuclear SREBP-1 adipose tisue: model for congenital generalized lipodystrophy". Genes & Development, 12: 3182-3194.	le in
	ð	Shimomura, I. et al. (1999). "Leptin reverses insulin resistance and diabetes mellitus in mice with congenital lipodyst Nature, 401: 73-76.	trophy".
	c	Sihmomura, I. et al. (1999). "Increased Levels of Nuclear SREBP-1c Associated with Fatty Livers in Two Mouse Mo Diabetes Mellitus". The Journal of Biological Chemistry, 274: 30028-30032.	odels of
	8	Soma, M.R. et al. ((1992). "Cholesterol and mevalonic acid modulation in cell metabolism and multiplication". Toxic Letters, 64/65: 1-15.	cology
EXAMINER		DATE CONSIDERED	
*EXAMINER: In	uitial if	if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conform	mance and

(Use several sheets if necessary)

Docket Number (Optional)	Application Number	
480848.900	09/830837	
Applicant(s) SEIDAH, Nabil G. et al.		
Filing Date	Group Art Unit	
April 30, 2001	Unassigned	

*EXAMINER		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)
INITIAL		
	j	Spence, M.W. and Callahan, J.W. (1989). "Sphingomyelin-Cholesterol Lipidoses: The Niemann-Pick Group of Diseases". In The Metabolic Basis of Inherited Disease (Scriver, C.R. et al., editors), McGraw-Hill Publ. Co., 6th Edition, chapter 66: 1655-1676.
		Steiner, Donald F. (1998). "The proprotein convertases". Curr. Opin. Chem. Biol., 2: 31-39.
	ى	
		Sviridov, D. (1999). "Intracellular cholesterol trafficking". Histology & Histopathology, 14: 305-319.
	Ð	
_ //	v	Volchkov, Viktor E. et al. (1998). "Processing of the Ebola virus glycoprotein by the proprotein convertase furin". Proc. Natl. Acad. Sci. USA, 95: 5762-5767.
	5	Wang, X. et al. (1994). "SREBP-1, a Membrane-Bound Transcription Factor Released by Sterol-Regulated Proeolysis". Cell, 77: 53-62.
	9	Yan, Q. et al. (1997). "Expression of Brain-Derived Neurotrophic Factor Protein in the Adult Rat Central Nervous System". Neuroscience, 78: 431-448.
	,	Zhong, Mei et al. (1999). "The Prosegments of Furin and PC7 as Potent Inhibitors of Proprotein Convertases". The Journal of Biological Chemistry, Vol. 274, No. 48: 33913-33920.
EXAMINER		DATE CONSIDERED
*EXAMINER: I	nitial if	citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and